

The Louvre Lounge


**FlexiLouvre
Where Customisation
Meets Affordability**



Scan for more
information

www.louvrelounge.co.nz

Explore the Benefits and Features of FlexiLouvre



Rubber Seal System
Ensures a watertight roof when closed.

Integrated Guttering
Includes internal guttering with PVC downpipes.

Flexible Operation
Opt for motorised or manual operation.

Double Blade Louvres
Our rigid double blade louvres provide a sleek, flat roof appearance when closed, enhancing strength Flexible Operation and durability.

Lighting Options
Add lighting, including customisable RGB lights, to your louvre system.

Specifications of FlexiLouvre

Post Dimensions:

120x120x2mm

Beam Dimensions:

150x40x1.5mm

Louvre Blade Dimensions:

170x32x1.5mm

Material:

**6063-T5 Aluminum
and Stainless Steel**



New Zealand's only affordable and fully customisable high- quality louvre system



Complete Customisation

Adjust the size, height, mounting method, lighting, and operation to suit your needs



Versatile Add ons

Choose from our premium shutters or blinds, custom made to your requirements



Instant Quotes

Get a personalised quote online in just 2 minutes!

Get Quote Now

Visit → www.louvrelounge.co.nz/flexilouvre
to get your quote now.

How to Order?

1.

Enter the dimensions of the louvre system online to get an instant quote & select your extras.

2.

Pay a small **\$75** deposit and we'll complete the drawings & provide colour samples.

3.

Once you've selected the correct colours and the size is right, place your order!

Need adjustments?

We're happy to provide FREE updated drawings to ensure everything is perfect.

Questions?

Call us at 09 242 2665





Contact details:

- ✉ Info@louvrelounge.co.nz
- ☎ 092422665
- 🌐 louvrelounge.co.nz
- 📍 Visit us at louvrelounge.co.nz/visit
- 📱 @louvreloungenz



Scan for more
information